





SOP: Patient Discontinuation by Death Event


(Revised March 2024)

Objective: To acquire knowled Who: EMR user			MR Discontinuation for a Death workflow Ige on Discontinuation procedure from a Death event		
Required Materials: Applies to KenyaEN					
TEP	Α	CTION	Screenshot		
1.	Login to KenyaEMR On successful KenyaEMR system access, you should be navigated to the login page. Authenticate entry by proving a valid username and password on the fields, then click the "Continue" button.		Username Admin Continue Enter a Valid UserName and Click Continue Enter a Valid Password and Click Continue		
2.	be navigated to Page.	ul login, you shall o system Landing ropriate location	Welcome Admin Select your location from the list below. Use the search bar to find your location. Q Search for a location Meru District hospital 1 Main Store 2 Main Pharmacy Remember my location for future logins Confirm	Select the applicable Location Click the confirm button	















Discontinuation form

Once a user selects the discontinue option, the system will load the discontinuation form from the selected service program.


Evamn

6.

Example Selected service is HIV program.

Selecting Discontinue option loads the HIV discontinuation form.

Add the Date discontinued and select discontinuation reason as applicable per service program.



7. Discontinuing a Patient from a Death event

Example, A patient enrolled in HIV Service Program Discontinuation by a death event.

Step 1

Select the Effective discontinuation date.

Step 2:

Select the Reason for discontinuation as Died.

Step 3:

Select the date the patient died.

Step 4:

Select the exact reason for death.

Step 5:

Select the specific cause of death as appropriate.

Save and close the form, the system will give an alert that the form has been saved successfully and the patient has been discontinued from that service successfully.

