



SOP: Patient Discontinuation by Death Event



(Revised Aug 2025)

Tasks:	End to end TaifaCare Discontinuation for a Death workflow
Objective:	To acquire knowledge on Discontinuation procedure from a Death event
Who:	EMR user
Required Materials:	Applies to TaifaCare ver19.2.0 and above

STEP	ACTION	Screenshot
1.	Login to TaifaCare On successful TaifaCare system access, you should be navigated to the login page. Authenticate entry by providing a valid username, click Continue and password in the fields, then click the “Log in” button.	
4.	Searching for a Patient Before discontinuation, a user must search for the specific client to be discontinued. You can access a patient’s profile by searching for the patient and clicking on the patient card as illustrated.	

Part A: Discontinuation By Death For A Client Enrolled In A Program In TaifaCare

4.	To Discontinue a Client Already Enrolled in a Program (s) in TaifaCare, first discontinue the patient from the program(s) patient is enrolled in. From the left side bar navigation, select “Care Panel” to access the Program Summary Tab. Program Summary allows a user to access all Services a patient has been enrolled in as applicable according to Age, Gender, and Eligibility status.	
----	---	--

5.	Discontinuing a Patient from a program Step 1: Select the program to discontinue patient from Step 2: Access the Enrollment form. Step 3: Select Action at the end of the enrollment details entry, under Reason for discontinuation. Step 4: Select Discontinuation to Load the discontinuation form.	
6.	Discontinuation form Once a user selects the discontinue option, the system will load the discontinuation form from the selected service program. <i>Example Selected service is HIV program.</i> <i>Selecting Discontinue option loads the HIV discontinuation form.</i> Add the discontinued date and select discontinuation reason as applicable per service program.	

7.	Discontinuing a Patient from a Death event Example, A patient enrolled in PrEP Program Discontinuation by a death event. Step 1: Select Discontinue Reason for discontinuation as Died. Step 3: Select the date the patient died. Step 4: Date of last PrEP dose. Save and close the form, the system will give an alert that the form has been saved successfully, and the patient has been discontinued from that service successfully. NB: Each Program Discontinuation has additional information captured depending on the program	PrEP Client Discontinuation Adding to: Outpatient Current active visit: Kayole II Sub-District Hospital PrEP Discontinuation Save and close Discard PrEP Discontinuation Visit Details * Date: 12/08/2025 * Provider: admin - NIZIIGIMANA NIZIIGIMANA NIZIIGIMANA * Location: Kayole II Sub-District Hospital Discontinue PrEP Care * Discontinue reasons Date of Last Prep dose: dd/mm/yyyy
-----------	---	--

Part B: General Discontinuation Of Patients In TaifaCare

Search for the patient to be discontinued as explained above. On the Patient chart, click Actions then select Mark patient deceased Select the date of death from the date picker and then search for the cause of death by typing on the search bar.	The screenshot illustrates the 'Mark patient deceased' process in TaifaCare. It shows the patient's chart with the 'Actions' menu open, highlighting 'Mark patient deceased'. Below, the 'Mark patient deceased' form is displayed, showing the 'Date of death' field set to 15/08/2025 and the 'Cause of death' field with a search bar and a dropdown menu.
---	--

Click **Save and close** when done

The patient will be flagged as **Deceased** as shown after saving

☒ Fungal infection

☐ Infection due to severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)

Discard
Save and close


test test test ♂ Male Deceased
Actions

30 yrs · 29-Jun-1995 · OpenMRS ID: MH7XCP
 Show more

Vitals & Anthropometrics No data has been recorded for this patient
 Record vitals

Care Panel

Panel summary
Program enrollment
Machine Learning

THE END